


Viega Drainage Technology for Bathroom and Floor



viega





Viega. A better idea!

Family Tradition

The name Viega stands for a family company which set high standards from the word go. Product quality, client proximity, reliable delivery and service performance – all these standards are imposed company-wide. One thing is for certain: you need more than a good idea to compile an international success story. Courage, delight in innovation and passion are that qualities that, for good reason, have shaped the company for 100 years.

International Success

Drainage technology is among the areas where Viega has set standards over many years. Bath or shower trays, drains, overflows and siphons made by Viega were established worldwide and installed a million times over. And for good reason, Viega is convincing as much for its technical as for its design quality. Numerous products were already awarded international design prizes.

Systematic and Precise

Viega not only has a permanent stock of drainage technology products. A total of over 16,000 items are available, being selected, coded, packed and dispatched using an efficient logistics concept. The system is in place – as for everything at Viega. Not only are our processes integrated, but also our products. The best example is Viega's drainage technology, as featured here: a multi-faceted range of high-value detail solutions to define top modern bathroom design. True to our mantra: Viega. A better idea!





Bathtub fittings

Outlet and overflow fittings, also with water inlet, which sparkle with modern technology and prize-winning design. **Page 6**

Washbasin drain valves

Versatile universal- and slotted drains, optionally with or without click technology. **Page 17**

Odour traps

For washbasins and the secure connection of devices: perfectly thought-out, height-adjustable concealed and visible variations. **Page 18**



Shower tray drains

The shower drain technology for extremely high drainage capacity and various installation conditions. **Page 10**

Floor-level drains

Viega offers a wide selection of individual design possibilities – as channel or grate. **Page 20**

Washbasin drain valves, siphons and odour traps

Exclusive designer solutions, developed for the creation of sophisticated bathrooms. **Page 14**

Installation recommendation and area of application

With Advantix, we offer an ideal and assembly-friendly solution. **Page 28**



Viega Drainage Technology: Great Outlooks for Bathroom and Floor



**As perfect as they look:
Bathtub Inlet, Outlet
and Overflow Fittings**





Outstanding!

Beautiful design enthuses everyone – even top-class design juries. No wonder then that the Visign Multiplex M3 and M4 fittings and fixtures together with the Multiplex Trio MT3 and MT4, among others, were awarded the reddot award 2006 and that Visign M3 also received the accolade “best of the best”. As a result, Viega remains true to its reputation as a design specialist for bathtub inlet, outlet and overflow fittings. Visign M3 and M4 are the systematic development of the successful classics, Visign M1 and M2. Irrespective of their individual design, all models provide inspiration through their form, function and variety.



reddot award
product design



DESIGNPREIS
2007
NOMINIERT



product
design
award
2007



Inlet, Outlet and Overflow Fittings for Bathtubs



Multiplex Trio

The fitting is available in three variations for a drain hole of 52 mm in diameter and is above the norm in terms of its drainage capacity.



The Multiplex Trio MT3 is inspiring both as a result of its flat tub structure of just 20 mm and its prize-winning design.

Rotaplex Trio

The Viega Rotaplex Trio has a drainage capacity of up to 1.25 l/s, for a drain hole of 90 mm in diameter. There are two designs to choose from for different bath sizes.

The Rotaplex Trio can even be combined with design classics such as the RT1 using different functional units.

Simplex Trio

The Simplex Trio is suitable for bathtubs with a 52 mm drain hole. Its drainage capacity is also above the norm and it is characterised by a flexible overflow pipe.

Viega Pipe Interrupter

So that backflow water does not impact on the drinking water quality: the Viega pipe interrupter to connect the Multiplex Trio, Rotaplex Trio and Simplex Trio fittings.



Multiplex Trio
Inlet, outlet and overflow fitting for bathtubs, standard



Multiplex Trio
In-, outlet and overflow fitting for bathtubs, middle drain



Multiplex Trio
Inlet, outlet and overflow fitting for bathtubs, special edition



Rotaplex Trio
Inlet and overflow fitting for bathtubs with 90 mm drain hole, standard and middle drain



Rotaplex Trio
Inlet, outlet and overflow fitting for bathtubs with 90 mm drain hole, special edition



Simplex Trio
Inlet, outlet and overflow fitting for bathtubs with flexible overflow pipe



Pipe interrupter

Outlet and Overflow Fittings for Bathtubs



Multiplex

Multiplex is the tried-and-tested variation without water inlet function. It is intended for drain holes with a 52 mm diameter and can be installed easily thanks to its low installation height. And practical too: Multiplex systems which have already been installed can be fitted retrospectively with the prize-winning M3 and M4 Visign lines.



Multiplex
Outlet and overflow fitting for bathtubs



Rotaplex
Outlet and overflow fitting for bathtubs with 90 mm drain hole

Rotaplex

The Rotaplex is designed for large-scale drainage capacities and is suitable for tubs with a 90 mm drain hole. Like the Multiplex, the Rotaplex can be equipped with four different designer rosettes. The Rotaplex is available in two designs for different tub shapes.

Simplex

This fitting is characterised particularly by its new designer rosette. The Simplex is available in two lengths for different sized tubs with a drain hole of 52 mm diameter. It has a flexible overflow pipe and its drainage capacity is above the norm.



Simplex
Outlet and overflow fitting for bathtubs with flexible overflow pipe



Outlet and overflow fitting for bathtubs with 52 mm drain hole, rounder, flatter overflow cover and click valve technology on the drain

Citaplex

The standard model with bead chain and valve plug can be used in all tubs with a drain hole of 52 mm diameter. The Citaplex drainage capacity also clearly fulfils the standard.



Citaplex
Outlet and overflow fitting for bathtubs



**Accomplished Design, Perfect
Technology: Viega Drainage
Technology for Shower Tray**

Drains for Flat Shower Tray



Tempoplex

The Tempoplex was developed especially for flat shower tray with a drain hole of 90 mm. The installation height is 80 mm, the drainage capacity with up to 0.64 l/s considerably exceeds the norm. So that the base plate remains accessible, all Tempoplex models have a removable odour trap.

Tempoplex Plus

The Tempoplex Plus is impressive with its top-rate values of up to 0.85 l/s – more than 100 % above the norm. It is suitable for flat shower tray with 90 mm drain holes and are designed to be particularly efficient. Thanks to the double seal on the drain hole and a globe joint, flawless fitting is also guaranteed.

New: Tempoplex 60 mm for Renovations

With Tempoplex 60 mm, Viega offers a model variation with just a 60 mm installation height. This drain provides good drainage capacity while keeping the installation height extremely low – an enormous advantage for renovations.



Tempoplex
Drain fitting for flat shower tray with 90 mm drain hole



Tempoplex
Upright drain fitting for flat shower tray with 90 mm drain hole



Tempoplex Plus
Drain fitting for flat shower tray with 90 mm drain hole and ball joint drain supports



Tempoplex 60 mm
Drain fitting for flat shower tray with 90 mm drain hole, installation height 60 mm



Hair trap
For use with the Tempoplex models (excluding EX)



Tempoplex EX
Drain fitting for flat shower tray with 90 mm drain hole

Drains for Deep Shower Tray



Domoplex

The drain fitting for shower tray with 52 mm or 65 mm drain holes provides first-class drainage capacity and can be quickly and easily installed thanks to its low installation height of just 80 mm. The double drainage seal provides additional security. Domoplex can be supplied with upright outlet or with a 45° drainage elbow. In both cases, the drain has a diameter of 40/50 mm.



Domoplex
Drain fitting for shower tray with 52 mm drain hole



Domoplex
Vertical drain fitting with 65 mm drain hole

Duoplex

With this family-friendly drain, the water can be accumulated up to a height of 90 mm with a removable stand pipe. To drain the water away again, the pipe is pushed back.



Duoplex
Drain fitting for shower tray with 52 mm drain hole with removable stand pipe



Varioplex
Drain fitting for shower tray with 52 mm drain hole and click valve technology

Omniplex and Varioplex

Functionality and quality in their most beautiful forms. With both drain fittings, the water can be accumulated with a separate stand pipe. If the pipe is not being used with the Omniplex model, it can be stored in a wall holder. Both drains have a trap which can be rotated 360° and which makes assembly considerably easier. In addition, the Varioplex model comes with a practical filter.



Varioplex
Drain fitting for shower tray with 52 mm drain hole, stand pipe



Omniplex
Drain fitting for shower tray with 52 mm drain hole, designer standpipe and wall holder



Varioplex
Drain fitting for shower tray with 52 mm drain hole with sieve




Pure Shower Enjoyment

More and more customers want waterfall showers and XXL showerheads, for which extreme amounts of water are typical. At the same time, they prefer particularly flat shower tray, which can only hold small amounts of water.

With the Tempoplex, Viega offers high-quality, well-designed shower tray drains, whose drainage capacity is up to 100 % above the norm. The beautiful covers of the drains can simply be pressed on and guarantee secure positioning, thanks to the 3-point anchorage.



Elegantly Solved: Viega Washbasin Siphons





Exclusive Design under the Washbasin

Actually, they are much too lovely to be hidden under the washbasin. The Eleganta washbasin siphons from Viega are one of the optical highlights in any bathroom, in outstanding quality and with amazing technology.

The Eleganta 1 with its lovely straightness, the Eleganta 2 plays with pleasing cones shapes, the Eleganta 3 focuses on organic curves. Each of the three Visign lines is inspiring with its fine details, such as the matching corner valves or the ability to be combined with Viega drainage valves.



Eleganta Set 1



Eleganta Set 2



Eleganta Set 3

Washbasin and Bidet Siphons



For a round Drain

The Viega washbasin siphons are inspiring as a result of both their design and tried-and-tested technology. Be it during assembly – through the large wall rosettes and long adjustable and drain pipes – or as a result of the integrated odour trap. Viega offers you a huge selection of siphons for washbasins and bidets for any bathroom. They can be integrated perfectly into the bathroom design with their shape and colour.



Bottle trap
Brass, chrome-plated



Bottle trap
Brass, chrome-plated,
with universal valve and plug

Material and Variations

Viega offers you the ideal siphon for your requirements to match your bathroom. Whether it is made of plastic or high-gloss chrome brass in bottle or pipe form, the siphons are inspiring with their efficient design and integrated odour trap. In addition, they are resistant to all household cleaners. For washbasins without overflow drains, Viega offers you a siphon with removable stand pipe. This means a variable water level of 0–90 mm can be achieved.



Pipe trap
Brass, chrome-plated,
with universal valve and plug



Bottle trap
Plastic, with universal valve and plug



Odour trap
Completely chrome-plated, for washbasin without overflow hole. Standpipe is of the 90 mm removable type



Bottle trap
For bidets, brass, chrome-plated

Washbasin – Drain Valve




Extremely versatile

Whether round like Visign V1 or square-cut like Visign V2, whether with or without an overflow function – Viega drain valves can be tailored completely individually as universal or shaft models to fit a huge variety of washbasin shapes. Timelessly elegant, they are always effective.

Amazing Click Technology

Viega universal and shaft valves are either unsealed or come with the practical click technology for backwater. By lightly pressing, these valves can be opened and closed. More evidence that Viega understands just as much about modern technology as it does contemporary design.



Visign V1 slotted valve
Brass, chrome-plated with overflow function.
Lockable thanks to round click-on closure cap



Visign V1 universal valve
Brass, chrome-plated,
with round, non-lockable cap



Visign V2 slotted valve
Brass, chrome-plated with overflow function.
Lockable thanks to square click-on closure cap



Visign V2 universal valve
Brass, chrome-plated. Lockable thanks
to square click-on closure cap



Universal valve
With sieve and screw made of stainless steel



Universal valve
With upper valve section and
stainless steel screw plug

Odour Traps for Washbasins



Tried-and-Tested a Million Times

There are many reasons for the huge success of Viega odour traps. Their high drainage capacity is above the norm. Their effective internal workings allow for outstanding self-cleaning. And: the drainage elbow of the trap is screwed directly to the drain valve without the need for an additional adjusting pipe, which saves space.

Material and Variations

The Viega odour traps are made of high-quality, environmentally-compatible polypropylene. It is resistant to waste water and to all normal household cleaners which makes Viega traps especially durable. Internally, the material also provides smooth surfaces. Viega odour traps are available as concealed (1) and exposed variations (2). The advantages can be seen in detail: the removable odour trap, the self-adjusting deal and the fact that no additional adjusting pipe is needed.

Height Adjustable

Viega odour traps are perfectly thought-out. They are easy to fit, space-saving and offer a particularly intelligent function: they can be adjusted by 50 mm in height during final installation.



①

Odour trap, concealed version



②

Odour trap, visible version



Height adjustable by 50 mm at end installation



Compact shapes, combinable with various furniture washbasins and semicolumns

Odour Traps for Washing Machines



Odour trap with integrated water inlet

To drain washing machines, Viega offers concealed traps with integrated water inlet. This means inlet and drain can be fitted in one procedure. As an alternative, these can be fitted behind the device in an easily accessible place for optical reasons. The backflow preventer and pipe ventilator are part of the shut-off valve fittings. Both are also integrated into the connecting elbow.



Odour trap without water Inlet

If the trap is installed as a concealed model, then only the rosette and angled hose fitting are visible in addition, there is the space-saving option of visible assembly. The odour trap can be installed particularly quickly and easily with the joining material provided with the fitting.



Odour trap with integrated water inlet



Odour trap without water inlet

**The true Beauty of Technology:
Viega Advantix
and Viega Visign**





Where would the superior technology in modern bathrooms be without the right design? Viegas shower channels and grates round off the well thought-out Advantix modular system perfectly. Between the exquisite tiling and sophisticated tiled backsplashes, the high-quality design solutions provide a certain optical je-ne-sais-quoi. They make any floor-level shower an aesthetic eye-catcher. The range comprises a huge range of shower channel, corner drains and grates, which have already been awarded with several internationally recognised design prizes.



reddot award
product design



DESIGNPREIS
2008
NOMINIERT



product
design
award
2007 ■



Shower channels



Visign Shower channels not only look good; they can also be fitted perfectly

Viega shower channels are available in nine attractive designs and in lengths of 750–1200 mm. Even in terms of ease of fitting, Viega shower channels catch the eye. With a maximum degree of flexibility, they make work especially easy for the fitter.


1 Adjust the shower channel to the right height using the adjustable feet.

2 To seal, stick the sealing tape to the sealant flange using the fitting adhesive and smooth down with liquid foil. Both are included with the product.

3 With the enclosed spacers, attach the frame to the tile height.

4 Align the frame from the middle out to 5 mm; if required, do this diagonally as well.

5 The perfect result with a few work stages: an optimally fitted Viega shower channel.



Visign ER1



Visign ER2



Visign ER3



Visign ER4*



Visign ER5



Visign ER6



Visign ER7



Visign ER8



Visign ER9

*Individually adjustable tile insert

Grates



Visign Grates

Square grates for straight architecture, round forms for bathrooms with curved contours, corner drains in straight and round designs, as well as a huge variety of materials and perforations. With the high-quality Visign grates by Viega made of stainless steel or in combination with glass, individual design freedom knows hardly any limits.



Visign RS11



Visign RS2



Visign RS14




Visign RS4



Visign RS15



Visign RS5



Visign EA1



Visign EA11



Visign EA5



Visign EA15

**Viega Advantix.
Drainage Technology
for the Floor**





Viega Advantix is a well thought-out modular system for bath and floor drainage. From the design of barrier-free bathrooms to floor drains in public buildings through to the drainage of terraces, roofs and cellars. The most varying base plates, sealant versions, attachments and grates can be freely combined and coordinated exactly to the relevant application. The different components of the Advantix system all have one thing in common: their quality. While “visible” components such as grates and covers gleam with design and material diversity, the “invisible” components inspire with their thought-out technology.



Viega Advantix.
The perfect modular
system



4960.30



4960.41



4971.10



4971.20



4971.41



4971.90



4972.30



4973.30



4933.3




4933.1



4928.2



4928.4



4976.11



4962.1



4962.3



4976.31



4934.2



4934.5



4934.7



4949.1



4962




4936.6



4944.8



4945.1-356



4925



4924



4927




4939



4947.1



4948.21



4948.31



4947



4960.80



4972.80



4973.80



4926.5



4935.6



4921.3



4921.65



4921.75



4926



4935.1



4944.2



4944.21



4943.2



4943.21




4926.20



4923.5

The products shown on these pages are only a selection of the extensive Advantix product range.



1

Attachments and grates



4933.4



4933.2



4933.6



4933.61



4929.1



4929.3



4976.21



4963.2



4963.4



4976.41



4922.5



4922.6



4922.7



4933.7



4933.71



4922.8




4949.3



4963

2

Add-on elements and sealants



4994



4954



4996.1



4998.3



4996



4954.8

3

Base plates



4951.1



4951.15



4955.1



4955.25



4955.15



4951.20

Advantix in the Private Bathroom



Viega Advantix in the Private Bathroom. The Foundation for modern Bathroom Design.

Barrier-free baths and floor-level showers demand an efficient drainage system. Advantix bathroom drains with a drainage capacity of up to 1.1 l/s for the flow of small to medium-sized water amounts are an outstanding choice here.

Shower channels

Viega shower channels make it possible to have a continuous, straight incline in the bath which does not cause any unattractive diagonal incisions in the tiles. The base plates are available in lengths of 750–1200 mm and some have a design height of just 90 mm. Another advantage: their stainless steel frame can be adjusted both in height and laterally. The matching design grates are available in elegant glass and stainless steel designs. Using adjusting screws embedded in rubber, disturbing footfall and metal noises are as good as ruled out.

Optional Adjustable Feet

The base plates are fitted with practical mortar anchors in the factory. Optionally, the adjustable feet can also be retro-fitted which makes it possible to align the channels with particular precision.



Maximum Quality, Millimetre-Precise Assembly

High-quality materials and careful workmanship provide a high degree of stability for the shower channel. Optional adjustable feet help achieve exact alignment

No Odour, more Flexibility

The variations with double odour trap. Flat design, with a drainage support which can be adjusted thanks to the ball joint

All inclusive

The complete package for floor-level showers. Here in an ultra-flat design, including Kerdi thin-bed collar for easy and safe installation

Advantix on the Terrace



Good Outlook for Poor Weather: Viega Advantix on the Terrace.

Irrespective of whether the balcony or terrace is tiled, has a gravel bed or support legs – Viega offers the right drainage technology for any type; if required, even with a second sealant level. Advantix drains have been developed for large amounts of precipitation and have norm-conforming and highly-resilient grates. It is possible to retrofit the drains with an odour shut-off valve without water sealant.

Drains for unused Areas

The extensive Advantix programme by Viega also includes drains which are suitable for unused flat roofs and terrace areas. They have an overhead gravel and foliage catcher.



For Terraces and Balconies with 2nd Drainage Level

The inlet element takes the water below the floor. The drainage capacity is 2.5 l/s; a combination with different add-on elements and attachments is possible



For unused Flat Roofs and Terrace Areas

The solution with gravel and foliage catcher – available in nominal widths of DN 50, 70 and 100

Advantix for the Cellar



Viega Advantix for the Cellar. The Basis of any good Drainage System

In work rooms, utility rooms and cellars, water often only occurs temporarily and in small amounts. High drainage capacities are normally not required. Depending on the use, additional seals can be avoided. However, there is naturally no reason for Viega to scrimp on quality for the cellar.

Integrated Odour Trap

As well as complete drains with pre-integrated odour traps, Viega offers you the option of fitting floor drains with an odour trap later on.



Lots of Water Sealant, low Construction Height

This drainage fitting is ideal for floor-level showers. Despite 50 mm water seal height, the installation head is just 85 mm



Large Amounts of Water Possible
The drain with 50 mm water seal head. For less used areas, in which large amounts of water can occur at times



Ideal for Cellar Floors or Floor-Level Showers
Water sealant and valves provide a double odour trap. The thin-bed add-on element guarantees safe connection to the seal

Advantix for Renovations



Viega Advantix. For a Perfect Drain for Renovation

With renovations, only low installation heights are possible. For this reason, Viega offers ultra-flat drainage solutions, especially for renovating measures. For example, they can be used in and on wooden constructions or above concrete floors in floor screed.

Ultra-Flat Bathroom Drain

The ultra-flat bathroom drain has an installation height of just 70 mm, but can be fitted extremely securely, as with all Viega floor drains. Fittings on the flange rim ensure especially stable anchorage in the floor screed. An additional sealant flange is used to absorb the liquid sealant.



Minimum Installation Height, Maximum Security

The solution for all areas of application when extremely flat drains are required: the drain with an installation height of just 70 mm. It is sealed using thin-bed technology



For Conventional or unsealed Floor Constructions

The drain with 75 mm installation height and a drainage support which can be adjusted using a ball joint



Integrated Odour Trap

For anyone who wants more: the flat drain that is also free from odours and has all the other advantages of high-quality Viega drains

**Viega Advantix. Plan for
Perfect Assembly and
Fire Protection Properties**





Fire Protection Technology by Viega

When it comes to fire protection, Viega focuses on the ease of fitting together with uncompromising safety and absolute quality. Viega Advantix fire protection products R 120 are designed using state-of-the-art technology with a tested fire resistance of up to 120 minutes in order to prevent the fire from spreading through the ceiling. In the case of a fire, a conventional drain made of plastic will melt within just a few minutes. For this reason, Advantix fire protection products have an integrated fire protection element. This element has an intumescent mass which completely swells up at temperatures above 150 °C and completely seals off the free profiles in the area of the ceiling duct.



Viega Advantix Fire Protection. Safety Guaranteed, Simple Fitting Guaranteed

The Function of the Fire Protection Drain:





After 4 minutes, approx. 460 °C:
the plastic pipe becomes malleable



After 8 minutes, approx. 625 °C:
the pipe is melted; the swelling mass fills
the entire borehole



After 25 minutes, approx. 800 °C:
borehole and connection are completely sealed.
The water trap remains largely in tact

More Safety, Less Work

As well as the utmost safety, the R 120 fire protection drain has many practical advantages. Completely pre-assembled and only consisting of one component, it can be fitted in the shortest period of time. Thanks to a spring fastener system, the drain simply fits itself. The obsolete plastering into the borehole means that improperly carried out filling work is indirectly avoided. This provides even more safety.

The In-Pipe Technology

The fire protection drain can also be fitted using in-pipe technology. To do this, a PP or PVC pipe is cast during cut-out, in which the drain is later inserted – like a borehole. In the case of a fire, the swelling mass also fills out the slit which develops as a result of the melting pipe.

Special Solution by Viega: The R 120 Pipe Duct

For fire-proof ceiling feed-through of shower basin drains or horizontal bath or floor drains, Viega offers a special solution: the R 120 pipe duct. This makes it possible to install a horizontal drain at a later point in time. This means it can be positioned exactly under the shower or in the tiling.



Simple, Building Site-Compliant Fitting:

1 After boring, a second borehole is created – approx. 20 mm deep in the ceiling. The concrete edge is chipped off.

2 Then: apply plaster to the chipped ring and insert the pre-assembled fire protection drain.

3 The flange must be flush to the ceiling. The spring fastener fixes the component. Then, fill the assembled drain with water and attach the protective cover.

Attention: the fire protection drain will only work flawlessly if it is filled with water.

Viega Thin-Bed
Technology





The Advantages of Thin-Bed Technology

Since the protection of the structure from moisture penetration has the top-most priority, thin-bed technology is used increasingly for floor-level showers. The advantages: the seal between the floor screed and tiles prevents the floor screed from being penetrated by moisture. The use of liquid foil saves any additional seals through bitumen or plastic channels.

Double Safety during Fitting

Because the main concern is the safe transition between the drainage area and floor screed, Viega uses double safety. Firstly, the special fitting of the flange anchors the drain securely into the floor screed. Secondly, the sealant collar provided with the fitting makes the transitional zone even safer. It is fitted directly into the liquid seal.

Various Advantix Add-On Elements

Viega offers the right add-on element for every area. For commercial areas with high load strain, for example, add-on elements made of polymer concrete with cast steel grates and additional fibreglass matting – for floor constructions with low installation heights, add-on elements made of plastic. And an ultra-flat drain for renovations.



The Fitting of Thin-Bed Technology:

- 1 Remove protective foil.
- 2 Apply initial thin-bed seal, e.g. by unrolling.
- 3 Insert the supplied Kerdi thin-bed collar into the still-liquid thin-bed seal.

4 Apply the second thin-bed after the setting period.

5 After drying the seal, cut the attachment to size, insert and apply tile adhesive.

6 Lay the tiles. Important: Seam openings must not be sealed by the surface sealant or tile adhesive.

Conventional
installation





Areas of Application for Conventional Sealing

Even with so-called conventional technology, building components such as ceilings, floors and even insulation can be permanently protected from moisture. The sealant channels made of bitumen or EPDM used for this procedure are applied directly to the unfinished concrete or thermal insulation. This technique has proven itself particularly in the sealing procedure for balconies, terraces, floor panels and cellar floors. In addition, conventional sealant channels can also be used as an additional second sealant level in a sealing procedure carried out with thin-bed technology.

Processing Variations

Viega drains can be incorporated with a clamping collar and a sealing collar either in bitumen or EPDM channels – without risk of damaging the drainage structure during welding or adhesive work. The fully developed technology of the Viega components guarantees safe transition between drain and sealing channel – irrespective of which processing variation is used.



The Fitting of Conventional Sealing:

1 The double-sided sealing collar (EPDM layer above, bitumen layer below) is laid over the drain and screwed on with the flange ring.

2 Connection to a bitumen ceiling duct: ceiling duct is welded (open flame) and connected using subsequent treading down.

3 Connection to a pure EPDM duct: EPDM duct is welded using a hot air gun and then connected by rolling with the sealing collar. Priming is no longer required.

Viega GmbH & Co. KG
Plumbing and heating systems
Ennester Weg 9
DE-57439 Attendorn
Germany
Phone +49 2722 61-1297
Fax +49 2722 61-1146
info@viega.com
www.viega.com

